



AFTERMARKET PRODUCTS

For Sign Shops and Graphics Professionals

- EDGE® Foils
- Vinyl Films
- EDGE READY™ Materials
- Application Tapes
- EDGE and Plotter Accessories
- Router Bits
- Router Accessories
- Small Format Materials

Effective July 1, 2018

Last updated June 29, 2018. All information is subject to change or correction.

Product Bulletins for most materials are available at www.gspinc.com.

Please email us at gpsalesupport@gspinc.com for more information or to provide feedback.

Introducing 30INx50YD UNPUNCHED format 220 High Performance Vinyl

New Spot Color Foils

See page 3 for details

Deep Sea Blue

Seafoam

Fern Green

**Metal Flake
Special Effects Foil**
See page 6 for details



Gerber ships the **SAME DAY** on **HOT Orders** placed by 5 pm ET
and there's **NO DROP SHIP FEE!**

GerberColor Foils

| | |
|--|--------|
| Spot Color Foils | Page 3 |
| Process Pro™ Foils | Page 4 |
| Transparent Foils | Page 4 |
| Medal Foils | Page 5 |
| Spectra Foils | Page 5 |
| Finishing Foils | Page 5 |
| Special Effects Foils | Page 6 |
| ColorSet™ Intermediate Foils | Page 6 |
| EDGE FX Caddies and Conversion Kit | Page 6 |

Gerber Films

| | |
|---|---------|
| Gerber 220 - EDGE READY | Page 7 |
| Gerber 220 - 30" Unpunched | Page 9 |
| Gerber 220 Metallic - EDGE READY | Page 8 |
| Gerber 225 - EDGE READY | Page 10 |
| Gerber 225 Metallic - EDGE READY | Page 10 |
| Gerber 230 Translucent - EDGE READY | Page 11 |
| Gerber 280 and 280i Plus Reflective - EDGE READY | Page 12 |
| Gerber 210 Dusted and Frosted Crystal | Page 12 |
| Gerber 210 Fluorescent Film - EDGE READY | Page 12 |
| Gerber 220 Easy Apply Film - EDGE READY | Page 13 |
| Gerber QUANTUM II Marking Films - Intermediate Series - EDGE READY | Page 13 |
| Gerber QUANTUM™ 2000 Marking Films - Intermediate Series - EDGE READY | Page 13 |

| | | | |
|---|---------|---------------------------------------|---------|
| Gerber InstaChange™ - EDGE READY | Page 13 | PVC-10 - EDGE READY | Page 19 |
| Static Cling Film - EDGE READY | Page 14 | Metallized Polyesters | Page 19 |
| Gerber ImageCal™ R - EDGE READY | Page 14 | Magnetics - EDGE READY | Page 19 |
| GerberVision II™ - EDGE READY | Page 14 | Overlaminates | Page 20 |
| GerberGlow™ - EDGE READY | Page 14 | Edge Positive - EDGE READY | Page 21 |
| Gerber Luminous Film - EDGE READY | Page 15 | Screenprint Films | Page 21 |
| Gerber HoloGraphix™ - EDGE READY | Page 15 | Masking Material | Page 22 |
| Gerber ImageCal P - EDGE READY | Page 15 | Paper | Page 23 |
| Gerber ImageCast™ - EDGE READY | Page 15 | Sandblast Material | Page 23 |
| Gerber PermaGrip™ - EDGE READY | Page 16 | Application/Transfer Tapes | Page 23 |
| Label Stock - EDGE READY | Page 16 | 3M™ Adhesive Tape 467MP & 468MP | Page 23 |
| LexEdge™ - EDGE READY | Page 17 | | |

Gerber Accessories

| | | | |
|--|---------|---|---------|
| Gerber EDGE® Accessories | Page 24 | Gerber GSx Plotter Accessories | Page 25 |
| Gerber enVision Plotter Accessories | Page 24 | Gerber Monument Plotter Accessories | Page 25 |
| Gerber GS and HS Plotter Accessories | Page 24 | Gerber Legacy Plotter Accessories | Page 26 |
| Gerber Routing Bits | Page 28 | | |
| Router Accessories and Materials | Page 34 | | |
| 7 ½" Format Materials | Page 36 | | |

GerberColor™ Spot Color Foils

Custom-formulated, resin-based, semi-gloss spot color foils will provide three- to five-year exterior life performance. Use with GerberColor Spectratone™ to produce additional colors. Warranted as specified when used on Gerber-approved EDGE READY materials.

[Spot Color Foil Product Bulletin](#)

| EDGE 1 & 2 | | Spot Color Foils | | EDGE FX | | | |
|------------|----------|---------------------|---------|----------|----------|----------|----------|
| 45 Meter | 75 Meter | Color, Pigment Code | | 15 Meter | 45 Meter | 75 Meter | 91 Meter |
| P49085A | P79100A | Black | GCS-12 | | P77684A | | P77685A |
| P49084A | P79101A | White | GCS-10 | | P77788A | P84891A | |
| P66276A | | Apple Green | GCS-196 | | P77679A | | |
| P53542A | | Aqua | GCS-176 | P77680A | | | |
| P82885A | | Arctic White | GCS-710 | | P81285A | | |
| P76550A | | Atomic Red | GCS-293 | P78957A | P77682A | | |
| P53512A | | Beige | GCS-49 | | P77683A | | |
| P60367A | | Brick Red | GCS-603 | P77687A | | | |
| P49087A | | Brown | GCS-19 | | P77689A | | |
| P53487A | | Burgundy | GCS-58 | | P77690A | | |
| P49093A | | Cobalt Blue | GCS-37 | | P77693A | | P77801A |
| P80134A | | Dark Cardinal Red | GCS-353 | | P84731A | | |
| P66256A | | Dark Gray | GCS-641 | | P77697A | | |
| P66260A | | Dark Green | GCS-56 | | P77696A | | |
| P84874A | | Deep Sea Blue | GCS-515 | | P84875A | | |
| P83442A | | Electric Green | GCS-406 | | P83441A | | |
| P84876A | | Fern Green | GCS-286 | | P84877A | | |
| P83443A | | Fireball Red | GCS-493 | | P83440A | | P80519A |
| P53492A | | Forest Green | GCS-66 | | P77699A | | |
| P49086A | | Gray | GCS-31 | | P77704A | | |
| P49095A | | Green | GCS-186 | | P77702A | | P77703A |
| P53497A | | Intense Blue | GCS-47 | | P77707A | | P77708A |
| P66268A | | Intense Red | GCS-663 | | P77709A | | P77710A |
| P60362A | | Kelly Green | GCS-46 | | P77712A | | |
| P53532A | | Kumquat | GCS-74 | | P77714A | | |
| P53537A | | Lemon Yellow | GCS-155 | | P77715A | | |
| P66252A | | Light Gray | GCS-681 | | P77716A | | |
| P76588A | | Light Navy | GCS-697 | P78958A | P77717A | | |
| P53517A | | Light Purple | GCS-668 | | P77719A | | |
| P69936A | | Lime Green | GCS-616 | P77720A | P77721A | | |
| P60382A | | Navy | GCS-627 | | P77732A | | P80679A |
| P49094A | | Olympic Blue | GCS-57 | | P77733A | | P77734A |
| P49089A | | Orange | GCS-14 | | P77735A | | P80678A |
| P53527A | | Peacock Blue | GCS-77 | | P77736A | | |
| P53522A | | Pink | GCS-643 | P77737A | | | |
| P49092A | | Purple | GCS-38 | | P77748A | | |
| P60377A | | Raspberry | GCS-133 | P77749A | | | |
| GCS687 | | Royal Reflex | GCS-687 | | P77752A | | |
| P49091A | | Ruby Red | GCS-53 | | P77753A | | P77754A |
| P84878A | | Seafoam | GCS-386 | | P84879A | | |
| P53502A | | Sunflower Yellow | GCS-625 | | P77757A | | |
| P60372A | | Tan | GCS-39 | P77758A | | | |
| P53507A | | Teal | GCS-96 | | P77760A | | |
| P66264A | | Terra Cotta | GCS-24 | P77761A | | | |
| P49090A | | Tomato Red | GCS-13 | | P77763A | | P77764A |
| P78908A | | Traffic Grey | GCS-151 | P78905A | | | |
| P84742A | | University Blue | GCS-267 | | P84741A | | |
| P84754A | | Vegas Gold | GCS-145 | | P84753A | | |
| P69932A | | Violet Purple | GCS-628 | P77786A | P77787A | | |
| P78904A | | Vivid Blue | GCS-017 | P78901A | | | |
| P49088A | | Yellow | GCS-15 | | P77789A | | P77790A |

GerberColor™ Spot Color Foils – continued

| EDGE 1 & 2 | | | Spot Metallic Foils | EDGE FX | | |
|------------|----------|----------|------------------------|----------|----------|----------|
| 25 Meter | 45 Meter | 75 Meter | Color, Pigment Code | 15 Meter | 45 Meter | 91 Meter |
| | P66284A | | Champagne Gold GCS-601 | P77691A | | |
| | P66280A | | Copper GCS-629 | P77694A | | |
| | P60392A | | Gold GCS-631 | | P77700A | |
| | P60387A | | Silver GCS-620 | | P77755A | |
| | P66272A | | Imitation Gold GCS-105 | P77705A | P77706A | |

GerberColor Process Pro – CMYK Foils

Custom-formulated, resin-based, semi-gloss foils for four-color process prints, process color simulations of solid PANTONE® colors, EDGE Match™, and photographic bitmap reproductions. Three-year exterior life performance. Use with GerberColor Spectratone to produce additional colors. Warranted as specified when used on Gerber-approved EDGE READY materials.

[Process Pro CMYK Foil Product Bulletin](#)

| EDGE 1 & 2 | | | Process Color Foils | EDGE FX | | |
|------------|----------|----------|-------------------------|----------|----------|----------|
| 25 Meter | 45 Meter | 75 Meter | Color, Pigment Code | 15 Meter | 45 Meter | 91 Meter |
| | P76283A | | Process Black GCP-812 | P77740A | | P77741A |
| | P76282A | | Process Cyan GCP-807 | P77742A | | P77743A |
| | P76281A | | Process Magenta GCP-873 | P77744A | | P77745A |
| | P76280A | | Process Yellow GCP-805 | P77746A | | P77747A |

GerberColor Transparent Foils

Custom-formulated, resin-based, transparent color foils will provide three-year exterior life performance. The unique transparent feature allows the characteristics of the base EDGE READY material to come through. GCT foils should be double-hit for best backlit results. Use with GerberColor Spectratone to produce additional colors. Warranted as specified when used on Gerber approved EDGE READY materials.

[Transparent Foil Product Bulletin](#)

| EDGE 1 & 2 | | | Transparent Foils | EDGE FX | | |
|------------|----------|----------|---------------------------|----------|----------|----------|
| 25 Meter | 45 Meter | 75 Meter | Color, Pigment Code | 15 Meter | 45 Meter | 91 Meter |
| | P60397A | | Blue GCT-617 | | P77765A | |
| | P60447A | | Brown GCT-629 | | P77767A | |
| | P60437A | | Burgundy GCT-49 | | P77769A | |
| | P60442A | | Gold GCT-105 | | P77771A | |
| | P60452A | | Green GCT-116 | | P77773A | |
| | P60402A | | Orange GCT-614 | | P77775A | |
| | P79105A | | White/SpectraTint GCX-030 | | P79107A | |
| | P60432A | | Plum Purple GCT-128 | | P77777A | |
| | P60407A | | Red GCT-643 | | P77779A | |
| | P60427A | | Sapphire Blue GCT-37 | | P77781A | |
| | P60422A | | Tomato Red GCT-13 | | P77783A | |
| | P60417A | | Yellow GCT-625 | | P77785A | |
| | P79102A | | Grey/SpectraShade GCX-111 | | P79104A | |

GerberColor Medal Foils

As the “medal” name implies, GCM foils produce images which have an elegant, polished metal finish. NOTE: Interior use only.

[Medal Foil Product Bulletin](#)

| EDGE 1 & 2 | | | Medal Foil | EDGE FX | | |
|------------|----------|----------|-------------------------|----------|----------|----------|
| 25 Meter | 45 Meter | 75 Meter | Color, Pigment Code | 25 METER | 45 Meter | 91 Meter |
| P83515A | | | Silver Medal II GCM-721 | P84733A | | |
| EDGE 1 & 2 | | | Medal Foils | EDGE FX | | |
| 25 Meter | 45 Meter | 75 Meter | Color, Pigment Code | 15 Meter | 45 Meter | 91 Meter |
| GCM747 | | | Blue Medal GCM-747 | | | |
| GCM783 | | | Red Medal GCM-783 | | | |
| P49096A | | | Gold Medal GCM-731 | P77701A | | |

GerberColor SpectraTint and SpectraShade Foils

GerberColor Spectra foils are designed for overprinting to modify the appearance of base color foils. Use these foils to produce a wider range of EDGE-printed spot colors, to better match hard-to-hit corporate identity program colors or to create special shading effects on shapes and large text. All effects are achieved with solid fill printing.

SpectraTint has been designed to lighten the appearance of the base color, while **SpectraShade** will darken it. Both foils have been formulated for outdoor use for up to three years. Spectra foils can triple the range of spot colors that are printable with a shop’s current inventory of foils.

[Transparent Spectra- Foil Product Bulletin](#)

| EDGE 1 & 2 | | | Spectra Foils | EDGE FX | | |
|------------|----------|----------|----------------------|----------|----------|----------|
| 25 Meter | 45 Meter | 75 Meter | Color, Pigment Code | 15 Meter | 45 Meter | 91 Meter |
| | P79105A | | SpectraTint GCX-030 | | P79107A | |
| | P79102A | | SpectraShade GCX-111 | | P79104A | |

GerberColor Finishing Foils

Abrasion Guard™ SPF is designed for graphics likely to experience repeated handling or frequent contact. This clear overprint GerberColor foil makes GERBER EDGE-produced graphics considerably more resistant to abrasion, **plus it adds up to 30% longer UV protection to any EDGE output!**

[Finishing Foil Product Bulletin](#)

| EDGE 1 & 2 | | | Finishing Foils | EDGE FX | | |
|------------|----------|----------|--------------------|----------|----------|----------|
| 25 Meter | 45 Meter | 75 Meter | Color | 15 Meter | 45 Meter | 91 Meter |
| | | P81988A | Abrasion Guard SPF | | | P81878A |

GerberColor **Special Effects Foils**

GerberColor Special Effects (GCX) Series Foils are specifically designed to produce dramatic and eye-catching graphics. NOTE: Interior use only, except for Metal Flake which has a 6-month outdoor life, or 2-year outdoor life when laminated with Gerber UVGuard.

[Flood Coat White Foil Product Bulletin](#)
[Jet Black Foil Product Bulletin](#)

[Fluorescent Foil Product Bulletin](#)
[Metal Flake Foil Product Bulletin](#)

| EDGE 1 & 2 | | | Special Effects Foils | EDGE FX | | |
|------------|----------|----------|--------------------------------|----------|----------|----------|
| 25 Meter | 45 Meter | 75 Meter | Color, Pigment Code | 15 Meter | 45 Meter | 91 Meter |
| P69940A | | | Fluorescent Red Orange GCX-414 | | P83353A | |
| EDGE 1 & 2 | | | Special Effects Foils | EDGE FX | | |
| 25 Meter | 45 Meter | 75 Meter | Color, Pigment Code | 15 Meter | 45 Meter | 91 Meter |
| | P76453A | | Flood Coat White GCX-010 | | P77698A | |
| | GCX12 | | Jet Black GCX-12 | | P77711A | |
| EDGE 1 & 2 | | | Special Effects Foils | EDGE FX | | |
| 25 Meter | 45 Meter | 75 Meter | Color | 15 Meter | 45 Meter | 91 Meter |
| | P84367A | | Metal Flake GCX-715 | | P84366A | |

GerberColor **ColorSet Intermediate Foils**

| EDGE 1 & 2 | | | ColorSet Foils |
|------------|----------|----------|-------------------------|
| 25 Meter | 50 Meter | 75 Meter | Color, Pigment Code |
| | P67112A | | Process Black CSP-12 |
| | P67124A | | Process Cyan CSP-607 |
| | P67116A | | Process Magenta CSP-273 |
| | P67120A | | Process Yellow CSP-605 |
| EDGE 1 & 2 | | | ColorSet Foils |
| 25 Meter | 45 Meter | 75 Meter | Color, Pigment Code |
| | P69593A | | Black CSS-12 |
| | P67691A | | Cobalt Blue CSS-37 |
| | P67699A | | Warm Red CSS-253 |

Gerber ColorSet process and spot foils have been designed to provide a solution for short-term graphic needs. User should determine suitability of all applications before using ColorSet foils.

[ColorSet Foil Product Bulletin](#)

EDGE FX Foil Caddies

| EDGE FX Caddy | Single | | P80095D |
|---------------|---------|--|---------|
| | 18 Pack | | |

GC Foil to FX Foil Conversion Kit

| GC to FX Foil Conversion Plug Set | |
|-----------------------------------|---------|
| | P84334A |

Gerber 220 High Performance Film manufactured by 3M

Gerber 220 is a high performance 2 mil cast vinyl, optimal for GERBER EDGE-printing, cutting, weeding, and application. Its clear pressure-sensitive adhesive allows production of attractive two-way markings. Excellent durability with five to eight-year exterior life.

[Gerber 220 Product Bulletin](#)

| 15" Punched EDGE READY | | 30" Punched | | 220 High Performance | 24" Unpunched | | 48" Unpunched | |
|---------------------------|---------|-------------|---------|----------------------------|---------------|---------|---------------|---------|
| 10 Yard | 50 Yard | 10 Yard | 50 Yard | Color, Color Code | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| P20855C | P20856C | P21918C | P20962C | Black 220-12 | P83594A | P83595A | P83597A | P83598A |
| P20871C | P20872C | P21916C | P20960C | Matte Black 220-22 | P83720A | P83721A | P83723A | P83724A |
| P83229A | P83230A | P83237A | P83238A | Matte White 220-20 | P83233A | P83234A | P83241A | P83242A |
| P83247A | P83248A | P83255A | P83256A | White 220-10 | P83251A | P83252A | P83259A | P83260A |
| 15" Punched EDGE READY | | 30" Punched | | 220 High Performance | 24" Unpunched | | 48" Unpunched | |
| 10 Yard | 50 Yard | 10 Yard | 50 Yard | Color, Color Code | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| P53024A | P53044A | P53064A | P53084A | Antique White 220-90 | P83565A | P83566A | P83569A | P83570A |
| P53022A | P53042A | P53062A | P53082A | Oyster 220-100 | P83785A | P83786A | P83789A | P83790A |
| P20869C | P20870C | P21930C | P20974C | Pearl Gray 220-11 | P83793A | P83794A | P83797A | P83798A |
| P84517A | P84518A | P84584A | P84585A | Light Gray 220-121 | | | | |
| P84521A | P84522A | P84588A | P84589A | Stone Gray 220-81 | | | | |
| P27325A | P27326A | P27363A | P27364A | Medium Gray 220-31 | P83726A | P83727A | P83729A | P83730A |
| P84525A | P84526A | P84592A | P84593A | Mid Gray 220-61 | | | | |
| P53036A | P53056A | P53076A | P53096A | Traffic Gray 220-151 | P83861A | P83862A | P83865A | P83866A |
| P84529A | P84530A | P84596A | P84597A | Dove Gray 220-91 | | | | |
| P27327A | P27328A | P27365A | P27366A | Dark Gray 220-41 | P83660A | P83661A | P83663A | P83664A |
| P53035A | P53055A | P53075A | P53095A | Nimbus Gray 220-101 | | | | |
| P57480A | P57495A | P57510A | P57525A | Duranodic 220-69 | P83667A | P83668A | P83671A | P83672A |
| P20851C | P20852C | P21925C | P20969C | Deep Mahogany Brown 220-19 | P83889A | P83890A | P83893A | P83894A |
| P27491A | P27492A | P27493A | P27494A | Russet Brown 220-29 | P83903A | P83904A | P83907A | P83908A |
| P27331A | P27332A | P27369A | P27370A | Sandstone 220-89 | | | | |
| P20883C | P20884C | P21926C | P20970C | Tan 220-39 | | | | |
| P20885C | P20886C | P21914C | P20958C | Beige 220-49 | P83911A | P83912A | P83915A | P83916A |
| P27333A | P27334A | P27371A | P27372A | Fawn 220-99 | | | | |
| P84541A | P84542A | P84608A | P84609A | Light Lemon Yellow 220-65 | | | | |
| P57477A | P57492A | P57507A | P57522A | Primrose Yellow 220-135 | P83815A | P83816A | P83819A | P83820A |
| P20861C | P20862C | P21921C | P20965C | Bright Yellow 220-15 | P83614A | P83615A | P83617A | P83618A |
| P27495A | P27496A | P27497A | P27498A | Sunflower 220-25 | P83842A | P83843A | P83845A | P83846A |
| P57478A | P57493A | P57508A | P57523A | Chrome Yellow 220-145 | | | | |
| P27337A | P27338A | P27375A | P27376A | Imitation Gold 220-105 | P83687A | P83688A | P83691A | P83692A |
| P27339A | P27340A | P27377A | P27378A | Apricot 220-64 | | | | |
| P27499A | P27500A | P27501A | P27502A | Light Orange 220-54 | | | | |
| P20863C | P20864C | P21923C | P20967C | Bright Orange 220-14 | P83608A | P83609A | P83611A | P83612A |
| P53026A | P53046A | P53066A | P53086A | Intense Orange 220-134 | P83701A | P83702A | P83705A | P83706A |
| P84537A | P84538A | P84604A | P84605A | Red Orange 220-74 | | | | |
| P27341A | P27342A | P27379A | P27380A | Terra Cotta 220-24 | | | | |
| P27343A | P27344A | P27381A | P27382A | Magenta 220-103 | | | | |
| P53034A | P53054A | P53074A | P53094A | Process Magenta 220-273 | | | | |
| P53027A | P53047A | P53067A | P53087A | Warm Red 220-253 | P83875A | P83876A | P83879A | P83880A |
| P53025A | P53045A | P53065A | P53085A | Perfect Match Red 220-263 | P83800A | P83801A | P83803A | P83804A |
| P57468A | P57483A | P57498A | P57513A | Atomic Red 220-293 | P83580A | P83581A | P83583A | P83584A |
| P20865C | P20866C | P21917C | P20961C | Tomato Red 220-13 | P83854A | P83855A | P83857A | P83858A |

Gerber 220 High Performance Film – Continued

| 15" Punched EDGE READY | | 30" Punched | | 220 High Performance | 24" Unpunched | | 48" Unpunched | |
|---------------------------|---------|-------------|---------|--------------------------------|-------------------|---------|---------------|---------|
| 10 Yard | 50 Yard | 10 Yard | 50 Yard | | Color, Color Code | 10 Yard | 50 Yard | 10 Yard |
| P84533A | P84534A | P84600A | P84601A | Imperial Red 220-93 | | | | |
| P27503A | P27504A | P27505A | P27506A | Geranium 220-63 | P83680A | P83681A | P83683A | P83684A |
| P20881C | P20882C | P21920C | P20964C | Cardinal Red 220-53 | P83628A | P83629A | P83631A | P83632A |
| P53038A | P53058A | P53078A | P53098A | Cranberry 220-283 | | | | |
| P21032C | P21033C | P22304C | P22305C | Burgundy 220-58 | P83882A | P83883A | P83885A | P83886A |
| P57471A | P57486A | P57501A | P57516A | Dark Burgundy 220-68 | P83647A | P83648A | P83651A | P83652A |
| P35326A | P35327A | P35348A | P35349A | Dark Violet 220-98 | | | | |
| P84568A | P84569A | P84636A | P84637A | Plum 220-78 | | | | |
| P27347A | P27348A | P27385A | P27386A | Royal Purple 220-38 | P83830A | P83831A | P83833A | P83834A |
| P27349A | P27350A | P27387A | P27388A | Purple 220-48 | | | | |
| P57479A | P57494A | P57509A | P57524A | Royal Blue 220-87 | P83823A | P83824A | P83827A | P83828A |
| P21036C | P21037C | P22334C | P22335C | Navy 220-27 | P83777A | P83778A | P83781A | P83782A |
| P35328A | P35329A | P35350A | P35351A | Light Navy 220-197 | P83714A | P83715A | P83717A | P83718A |
| P84564A | P84565A | P84632A | P84633A | Boat Blue 220-127 | | | | |
| P57475A | P57490A | P57505A | P57520A | Dark Blue 220-397 | P83640A | P83641A | P83643A | P83644A |
| P35330A | P35331A | P35352A | P35353A | Shadow Blue 220-177 | | | | |
| P35332A | P35333A | P35354A | P35355A | Wedgwood Blue 220-187 | | | | |
| P20873C | P20874C | P21928C | P20972C | Sapphire Blue 220-37 | P83836A | P83837A | P83839A | P83840A |
| P20875C | P20876C | P21913C | P20957C | Vivid Blue 220-17 | P83868A | P83869A | P83871A | P83872A |
| P57482A | P57497A | P57512A | P57527A | Matte Blue 220-407 | | | | |
| P20857C | P20858C | P21922C | P20966C | Intense Blue 220-47 | P83694A | P83695A | P83697A | P83698A |
| P57473A | P57488A | P57503A | P57518A | Periwinkle 220-387 | P83807A | P83808A | P83811A | P83812A |
| P84560A | P84561A | P84628A | P84629A | Persian Blue 220-117 | | | | |
| P20877C | P20878C | P21929C | P20973C | Olympic Blue 220-57 | P83896A | P83897A | P83899A | P83900A |
| P84556A | P84557A | P84624A | P84625A | Light Blue 220-107 | | | | |
| P84552A | P84553A | P84620A | P84621A | Soft Blue 220-97 | | | | |
| P21034C | P21035C | P22332C | P22333C | Peacock Blue 220-77 | | | | |
| P27351A | P27352A | P27389A | P27390A | Robin Egg Blue 220-86 | | | | |
| P53033A | P53053A | P53073A | P53093A | Powder Blue 220-347 | | | | |
| P35336A | P35337A | P35358A | P35359A | Dark Aqua 220-307 | | | | |
| P27353A | P27354A | P27391A | P27392A | Teal 220-96 | P83848A | P83849A | P83851A | P83852A |
| P53032A | P53052A | P53072A | P53092A | Bermuda Blue 220-357 | P83587A | P83588A | P83591A | P83592A |
| P84544A | P84545A | P84612A | P84613A | Lime Green 220-136 | | | | |
| P35338A | P35339A | P35360A | P35361A | Apple Green 220-196 | P83573A | P83574A | P83577A | P83578A |
| P20859C | P20860C | P21924C | P20968C | Kelly Green 220-46 | P83708A | P83709A | P83711A | P83712A |
| P35340A | P35341A | P35362A | P35363A | Bright Green 220-186 | P83918A | P83919A | P83921A | P83922A |
| P57469A | P57484A | P57499A | P57514A | Cactus Green 220-266 | P83621A | P83622A | P83625A | P83626A |
| P20879C | P20880C | P21927C | P20971C | Dark Green 220-56 | P83654A | P83655A | P83657A | P83658A |
| P84548A | P84549A | P84616A | P84617A | Khaki Green 220-16 | | | | |
| P27355A | P27356A | P27393A | P27394A | Forest Green 220-66 | P83674A | P83675A | P83677A | P83678A |
| P53039A | P53059A | P53079A | P53099A | Bottle Green 220-276 | P83601A | P83602A | P83605A | P83606A |
| P27323A | P27324A | P27361A | P27362A | Clear Enamel Receptive 220-114 | P83634A | P83635A | P83637A | P83638A |

Gerber 220 High Performance Film – Continued

| 220 High Performance | | 30" Unpunched | |
|----------------------|---------|---------------|---------|
| Color, Color Code | | 10 Yard | 50 Yard |
| Black | 220-12 | | P58445A |
| Matte Black | 220-22 | | P58444A |
| Matte White | 220-20 | | P84898A |
| White | 220-10 | | P84899A |
| Color, Color Code | | 10 Yard | 50 Yard |
| Medium Gray | 220-31 | | P58440A |
| Dark Gray | 220-41 | | P58442A |
| Tomato Red | 220-13 | | P58474A |
| Cardinal Red | 220-53 | | P58476A |
| Light Navy | 220-197 | | P58489A |
| Sapphire Blue | 220-37 | | P58493A |
| Vivid Blue | 220-17 | | P58494A |
| Gold Metallic | 220-131 | | P58531A |
| Silver Metallic | 220-120 | | P58532A |

Gerber 220 Metallic High Performance Film manufactured by 3M

Gerber 220 metallic is a high performance 2 mil cast vinyl with the visual addition of a metallic sparkle, perfect for use on cars, trucks, boats, RVs, and signs or markings. Excellent durability with five-year unprinted exterior life.

New colors are highlighted in green.

[Gerber 220 Product Bulletin](#)

| 15" Punched EDGE READY | | 30" Punched | | 220 Metallic HP | 24" Unpunched | | 48" Unpunched | |
|---------------------------|---------|-------------|---------|---------------------------------|---------------|---------|---------------|---------|
| 10 Yard | 50 Yard | 10 Yard | 50 Yard | Color, Color Code | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| P27357A | P27358A | P27395A | P27396A | Gold Metallic 220-131 | P83748A | P83749A | P83751A | P83752A |
| P27359A | P27360A | P27397A | P27398A | Silver Metallic 220-120 | P83762A | P83763A | P83765A | P83766A |
| 15" Punched EDGE READY | | 30" Punched | | 220 Metallic HP | 24" Unpunched | | 48" Unpunched | |
| 10 Yard | 50 Yard | 10 Yard | 50 Yard | Color, Color Code | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| P31828A | P31829A | P31873A | P31874A | Dark Blue Metallic 220-217 | P83741A | P83742A | P83745A | P83746A |
| P31831A | P31832A | P31876A | P31877A | Bright Blue Metallic 220-227 | | | | |
| P84572A | P84573A | P84640A | P84641A | Petroleum Blue Metallic 220-247 | | | | |
| | | | | Silver Blue Metallic 220-237 | P83769A | P83770A | P83773A | P83774A |
| P31801A | P31802A | P31846A | P31847A | Charcoal Metallic 220-211 | | | | |
| P31837A | P31838A | P31882A | P31883A | Slate Metallic 220-201 | | | | |
| P84580A | P84581A | P84648A | P84649A | Steampunk Red Metallic 220-243 | | | | |
| P31819A | P31820A | P31864A | P31865A | Burgundy Metallic 220-208 | | | | |
| P31804A | P31805A | P31849A | P31850A | Dark Brown Metallic 220-209 | | | | |
| P31810A | P31811A | P31855A | P31856A | Copper Metallic 220-229 | P83733A | P83734A | P83737A | P83738A |
| P84576A | P84577A | P84644A | P84645A | Champagne Metallic 220-249 | | | | |
| P31813A | P31814A | P31858A | P31859A | Light Gold Metallic 220-231 | | | | |

Gerber 225 High Performance Film manufactured by 3M

Gerber 225 is a high performance 2 mil cast vinyl film on a transparent synthetic liner which is moisture-resistant and offers superior registration for multicolor plotter applications and Gerber EDGE printed graphics. The clear pressure-sensitive adhesive allows for production of attractive two-way markings. Excellent durability with five- to eight-year exterior life.

[Gerber 225 Product Bulletin](#)

| 15" Punched EDGE READY | | 30" Punched | | 225 High Performance | 24" Unpunched | | 48" Unpunched | |
|---------------------------|---------|-------------|---------|--------------------------------|---------------|---------|---------------|---------|
| 10 Yard | 50 Yard | 10 Yard | 50 Yard | Color, Color Code | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| P63845A | P63947A | P64253A | P64355A | Black 225-12 | P84009A | P84010A | P84013A | P84014A |
| P63844A | P63946A | P64252A | P64354A | Matte Black 225-22 | P84017A | P84018A | P84021A | P84022A |
| P63833A | P63935A | P64241A | P64343A | Matte White 225-20 | P84025A | P84026A | P84029A | P84030A |
| P63834A | P63936A | P64242A | P64344A | White 225-10 | P84033A | P84034A | P84037A | P84038A |
| 15" Punched EDGE READY | | 30" Punched | | 225 High Performance | 24" Unpunched | | 48" Unpunched | |
| 10 Yard | 50 Yard | 10 Yard | 50 Yard | Color, Color Code | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| P63840A | P63942A | P64248A | P64350A | Medium Grey 225-31 | P84041A | P84042A | P84045A | P84046A |
| P63847A | P63949A | P64255A | P64357A | Deep Mahogany Brown 225-19 | P84049A | P84050A | P84053A | P84054A |
| P63852A | P63954A | P64260A | P64362A | Beige 225-49 | P84057A | P84058A | P84061A | P84062A |
| P63855A | P63957A | P64263A | P64365A | Bright Yellow 225-15 | P84065A | P84066A | P84069A | P84070A |
| P63856A | P63958A | P64264A | P64366A | Sunflower 225-25 | P84073A | P84074A | | |
| P63874A | P63976A | P64282A | P64384A | Tomato Red 225-13 | P84081A | P84082A | P84085A | P84086A |
| P63875A | P63977A | P64283A | P64385A | Geranium 225-63 | P84089A | P84090A | P84093A | P84094A |
| P63876A | P63978A | P64284A | P64386A | Cardinal Red 225-53 | P84097A | P84098A | P84101A | P84102A |
| P63878A | P63980A | P64286A | P64388A | Burgundy 225-58 | P84105A | P84106A | P84109A | P84110A |
| P63893A | P63995A | P64301A | P64403A | Sapphire Blue 225-37 | P84113A | P84114A | P84117A | P84118A |
| P63894A | P63996A | P64302A | P64404A | Vivid Blue 225-17 | P84121A | P84122A | P84125A | P84126A |
| P63896A | P63998A | P64304A | P64406A | Intense Blue 225-47 | P84129A | P84130A | P84133A | P84134A |
| P63914A | P64016A | P64322A | P64424A | Dark Green 225-56 | P84137A | P84138A | P84141A | P84142A |
| P63916A | P64018A | P64324A | P64426A | Forest Green 225-66 | P84145A | P84146A | P84149A | P84150A |
| P63918A | P64020A | P64326A | P64428A | Clear Enamel Receptive 225-114 | P84153A | P84154A | P84157A | P84158A |

Gerber 225 Metallic High Performance Film manufactured by 3M

Gerber 225 metallic is a high performance 2 mil cast vinyl film with the visual addition of a metallic sparkle, on a transparent synthetic liner which is moisture-resistant and offers superior registration for multicolor plotter applications. This film is perfect for use on cars, trucks, boats, RVs, and signs or markings. Excellent durability with five-year exterior life.

[Gerber 225 Product Bulletin](#)

| 15" Punched EDGE READY | | 30" Punched | | 225 Metallic HP | 24" Unpunched | | 48" Unpunched | |
|---------------------------|---------|-------------|---------|-------------------------|---------------|---------|---------------|---------|
| 10 Yard | 50 Yard | 10 Yard | 50 Yard | Color, Color Code | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| P63933A | P64035A | P64341A | P64443A | Gold Metallic 225-131 | P84169A | P84170A | P84173A | P84174A |
| P63934A | P64036A | P64342A | P64444A | Silver Metallic 225-120 | P84161A | | P84165A | |

Gerber 230 Translucent High Performance Film manufactured by 3M

| 230 Translucent HP Color, Color Code | 15" Punched EDGE READY | | 30" Punched | |
|---|---------------------------|---------|-------------|---------|
| | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| White 230-20 | P20921C | P20922C | P21948C | P20992C |
| Ivory 230-005 | P21028C | P21029C | P22299C | P22300C |
| Light Beige 230-149 | P37721A | P37707A | P37693A | P37679A |
| Silver 230-121 | P43249A | P43250A | P43257A | P43258A |
| Silver Gray 230-51 | P37714A | P37700A | P37686A | P37672A |
| Shadow Gray 230-71 | P37719A | P37705A | P37691A | P37677A |
| Slate Gray 230-61 | P37716A | P37702A | P37688A | P37674A |
| Black 230-22 | P37708A | P37694A | P37680A | P37666A |
| Rust Brown 230-63 | P20911C | P20912C | P21943C | P20987C |
| Dark Brown 230-59 | P20919C | P20920C | P21947C | P20991C |
| Duranodic 230-69 | P20913C | P20914C | P21944C | P20988C |
| Burgundy 230-49 | P21026C | P21027C | P22297C | P22298C |
| Raspberry 230-133 | P37710A | P37696A | P37682A | P37668A |
| Mulberry 230-118 | P51447A | P51461A | P51475A | P51489A |
| Vivid Rose 230-78 | P37713A | P37699A | P37685A | P37671A |
| Pink Lavender 230-108 | P51444A | P51458A | P51472A | P51486A |
| Cardinal Red 230-53 | P30810A | P30811A | P30822A | P30823A |
| Dark Red 230-73 | P20917C | P20918C | P21946C | P20990C |
| Scarlet Red 230-83 | P51441A | P51455A | P51469A | P51483A |
| Red 230-33 | P20909C | P20910C | P21942C | P20986C |
| Light Tomato Red 230-43 | P30808A | P30809A | P30820A | P30821A |
| Poppy Red 230-143 | P37711A | P37697A | P37683A | P37669A |
| Orange 230-44 | P20907C | P20908C | P21941C | P20985C |
| Tangerine 230-84 | P37717A | P37703A | P37689A | P37675A |
| Kumquat 230-74 | P37718A | P37704A | P37690A | P37676A |
| Gold Nugget 230-141 | P51451A | P51465A | P51479A | P51493A |
| Metallic Gold 230-131 | P37712A | P37698A | P37684A | P37670A |
| Sunflower 230-25 | P30806A | P30807A | P30818A | P30819A |
| Mango 230-125 | P51448A | P51462A | P51476A | P51490A |
| Yellow 230-015 | P20905C | P20906C | P21940C | P20984C |
| Lemon Yellow 230-115 | P51445A | P51459A | P51473A | P51487A |
| Emerald Green 230-126 | P51449A | P51463A | P51477A | P51491A |
| Holly Green 230-76 | P30814A | P30815A | P30826A | P30827A |
| Green 230-26 | P20903C | P20904C | P21939C | P20983C |
| Bright Jade Green 230-116 | P51446A | P51460A | P51474A | P51488A |
| Vivid Green 230-156 | P37715A | P37701A | P37687A | P37673A |
| Kelly Green 230-146 | P51452A | P51466A | P51480A | P51494A |
| Apple Green 230-106 | P51443A | P51457A | P51471A | P51485A |
| Teal 230-246 | P43253A | P43254A | P43261A | P43262A |
| Turquoise 230-236 | P43251A | P43252A | P43259A | P43260A |
| Dark Blue 230-36 | P21030C | P21031C | P22301C | P22302C |
| Royal Blue 230-87 | P20915C | P20916C | P21945C | P20989C |
| Cobalt Blue 230-157 | P51454A | P51468A | P51482A | P51496A |
| Delft Blue 230-97 | P51442A | P51456A | P51470A | P51484A |
| Blue 230-167 | P31344A | P31345A | P31346A | P31347A |
| Intense Blue 230-127 | P37709A | P37695A | P37681A | P37667A |
| Process Blue 230-337 | P49908A | P49909A | P49910A | P49911A |
| Deep Sky Blue 230-147 | P51453A | P51467A | P51481A | P51495A |
| Olympic Blue 230-57 | P30812A | P30813A | P30824A | P30825A |
| Plum Purple 230-128 | P51450A | P51464A | P51478A | P51492A |

Gerber 230 is a high performance 3 mil cast vinyl designed for use on internally illuminated signs, awnings and window graphics. It features uniform color with a surface finish that eliminates glare. Five-year exterior life except Metallic Gold and Gold Nugget, which have a three-year exterior life.

[Gerber 230 Product Bulletin](#)

Gerber **280** and **280i Plus Reflective** Sheeting manufactured by 3M

| 280 Reflective Color, Color Code | 15" Punched EDGE READY | | 30" Punched | |
|---|---------------------------|---------|-------------|---------|
| | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| Gold 280-64 | P21020C | P21021C | P21962C | P21008C |
| Black 280-85 | P20899C | P20900C | P21933C | P20977C |
| Ruby Red 280-82 | P37319A | P37320A | P37321A | P37322A |
| Red 280-72 | P28494A | P28495A | P28498A | P28499A |
| Orange 280-14 | P20895C | P20896C | P21936C | P20980C |
| Lemon Yellow 280-81 | P20893C | P20894C | P21934C | P20978C |
| Yellow 280-71 | P28496A | P28497A | P28500A | P28501A |
| Green 280-77 | P20891C | P20892C | P21937C | P20981C |
| Light Blue 280-76 | P39822A | P39823A | P39820A | P39821A |
| Blue 280-75 | P20889C | P20890C | P21932C | P20976C |
| White 280-10 | Use 280i Plus | | P21931C | P20975C |
| White 280i Plus 280-10 | P84894A | P84895A | | |
| White 280i Plus is recommended for GERBER EDGE printing | | | | |

Gerber 280 is a 7.5 mil reflective sheeting designed for markings requiring high visibility, both day and night. The material has good flexibility and provides excellent conformance to flat or moderately curved substrates. Seven-year exterior life on all colors; five-year exterior life on black.

Series 280i Plus is a 7.5 mil white reflective sheeting designed to provide optimal print results on the Gerber EDGE. It is also removable with heat. Seven-year unprinted exterior life.
[Gerber 280 Product Bulletin](#)
[Gerber 280i Plus Product Bulletin](#)

Gerber **210 Dusted and Frosted Crystal** Film manufactured by 3M

Dusted Crystal 3 mil film provides the appearance of etched glass. Frosted Crystal 3 mil film provides the appearance of sandblasted glass. These films are perfect for all window, glass, mirror, and clear plastic applications. Three-year exterior life.

[Gerber 210 Crystal Product Bulletin](#)

| 15" Punched | | 30" Punched | | 210 Crystal Color, Color Code | 24" Unpunched | | 48" Unpunched | |
|-------------|---------|-------------|---------|----------------------------------|---------------|---------|---------------|---------|
| 10 Yard | 50 Yard | 10 Yard | 50 Yard | | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| P32442A | P32443A | P32444A | P32445A | Dusted Crystal 210-314 | P84342A | P84343A | P84350A | P84351A |
| | | | | | | | | |
| P35717A | P35718A | P35715A | P35716A | Frosted Crystal 210-324 | P84346A | P84347A | P84354A | P84355A |

Gerber **210 Fluorescent** Film manufactured by 3M

| 210 Fluorescent Color, Color Code | 15" Punched EDGE READY | |
|--------------------------------------|---------------------------|---------|
| | 10 Yard | 50 Yard |
| Yellow-Orange 210-404 | P48303A | |
| Lemon-Yellow 210-405 | P48304A | |
| Lime Green 210-406 | P48305A | |
| Pink 210-413 | P48307A | |
| Red-Orange 210-414 | P48534A | |

Gerber 210 Fluorescent is a vibrant, attention-getting 2 mil film that provides excellent visibility under normal or low light conditions. It is perfect for point of purchase, window graphics, and displays. One-year exterior life.

[Gerber 210 Fluorescent Product Bulletin](#)

Gerber **220 Easy Apply** Film manufactured by 3M

| 220 Easy Apply | 15" Punched EDGE READY | |
|-------------------|---------------------------|---------|
| Color, Color Code | 10 Yard | 50 Yard |
| White 180-10 | P84750A | P84751A |

Gerber 220 Easy Apply is a high performance, 2 mil, gloss vinyl optimal for GERBER EDGE-printing, which features pressure-activated adhesive to simplify application of graphics on flat, corrugated and riveted surfaces. Its pigmented adhesive provides maximum color opacity and a non-visible air egress feature. Six- to seven-year exterior life.

[Gerber 220 Easy Apply Product Bulletin](#)

Gerber **QUANTUM II Intermediate** Film

| Quantum II | 15" Punched EDGE READY | | 30" Punched | |
|------------|---------------------------|---------|-------------|---------|
| Color | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| White | | P84839A | | |
| Color | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| Black | | P84845A | | P84848A |
| Yellow | | P84851A | | |
| Red | | P84857A | | |

Quantum II is an intermediate performance, polymeric film with a solvent-based, acrylic adhesive perfect for interior and exterior graphics requiring up to 5-year durability. Quantum II's improved formulation offers better printability on the Gerber EDGE and a higher gloss level than Quantum 2000.

[Quantum II Product Bulletin](#)

Gerber **QUANTUM 2000 Intermediate** Film

| Quantum 2000 | 15" Punched EDGE READY | | 30" Punched | |
|--------------|---------------------------|---------|-------------|---------|
| Color | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| White | | | | P69142A |
| Color | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| Matte White | | P69021A | | P69147A |
| Yellow | | | | P69146A |
| Red | | | | P69144A |

Quantum 2000 is an intermediate performance, polymeric film with a solvent-based, acrylic adhesive perfect for interior and exterior graphics requiring up to 5-year durability.

[Quantum 2000 Product Bulletin](#)

Gerber **InstaChange Removable** Film

| InstaChange | 15" Punched EDGE READY | |
|-------------|---------------------------|---------|
| Color | 10 Yard | 50 Yard |
| White | P63030A | P63031A |

Gerber InstaChange is a white 4.6 mil vinyl film with a gray pigmented adhesive system that is removable for up to two years with no adhesive residue. The pigmented adhesive also allows for maximum opacity of graphics.

[InstaChange Product Bulletin](#)

Gerber **Static Cling** Film

| Static Cling | 15" Punched EDGE READY | |
|--------------|---------------------------|---------|
| Color | 10 Yard | 50 Yard |
| Clear | P50823A | P50824A |
| Color | 10 Yard | 50 Yard |
| White | P53201A | P53202A |

Gerber Static Cling films are designed to adhere to glass without adhesive. These 7 mil specialty vinyls can be printed with the Gerber EDGE or decorated with vinyl graphics. Intended for interior application.

[Static Cling Product Bulletin](#)

Gerber **ImageCal "R"** Removable Film

| ImageCal R | 15" Punched EDGE READY | |
|------------|---------------------------|---------|
| Color | 10 Yard | 50 Yard |
| White | P72778A | P72779A |
| Color | 10 Yard | 50 Yard |
| Clear | P65587A | P65588A |

Gerber ImageCal "R" is a removable vinyl designed for use with Gerber EDGE Systems and GerberColor Foils. Gerber ImageCal "R" is available in two formats that have slightly different characteristics.

Gerber ImageCal "R" Clear is a 3.5 mil, durable, removable, calendared vinyl. For up to six months after application, the film's unique adhesive allows the graphic to be removed from most surfaces with little or no residue left behind and without the aid of chemicals or accessories.

Gerber ImageCal "R" White is a 4 mil removable vinyl which can be reused up to 5 times within one year without leaving residue or losing the strength of its adhesive bond.

[ImageCal R Product Bulletin](#)

Gerber **GerberVision II** Film manufactured by 3M

| GerberVision II | 15" Punched EDGE READY | |
|-----------------|---------------------------|---------|
| Color | 10 Yard | 50 Yard |
| White | P84488A | P84489A |

GerberVision II is a perforated 4 mil window film suitable for all types of clear substrate displays, including transit graphics, retail windows, and P.O.P. displays. Its clear adhesive system allows for easy removal and replacement.

[GerberVision II Product Bulletin](#)

Gerber **GerberGlow** Film

| GerberGlow | 15" Punched EDGE READY | |
|----------------------------|---------------------------|---------|
| Color | 10 Yard | 50 Yard |
| Light Yellow-Green - Gloss | P68499A | P68500A |

GerberGlow, a novelty grade "glow-in-the-dark" film, is a 2.5 mil vinyl designed for use with the GERBER EDGE and GerberColor Foils. A charge time of one hour gives the film a bright glow for over 30 minutes, making it an excellent choice for promotional items, interior signage, and other novelty applications.

[GerberGlow Product Bulletin](#)

Gerber **Luminous** Film manufactured by 3M

| Luminous | 15" Punched EDGE READY | |
|---------------------------|---------------------------|---------|
| Color | 10 Yard | 25 Yard |
| Light Yellow-Green, Matte | P68495A | P68496A |

This 9 mil, durable, "glow-in-the-dark" vinyl is for applications that require maximum visibility for both day and night viewing, suitable for interior safety signage, and identification signs and markings. Gerber Luminous film will "glow" for up to 6 hours and takes only 3 minutes to recharge. Luminous material meets International Maritime Organization, National Fire Protection Association, and Federal Railroad Administration requirements.

[Gerber Luminous Product Bulletin](#)

Gerber **HoloGraphix** Film

| HoloGraphix | 15" Punched EDGE READY | |
|--------------|---------------------------|---------|
| Color | 10 Yard | 50 Yard |
| Mosaic | P63224A | P63225A |
| Silver Sheen | P63221A | P63222A |
| Kaleidoscope | P63227A | P63228A |
| Color | 10 Yard | 50 Yard |
| Water Drop | P83222A | P83223A |

Holographic 3.6 mil film available in four different patterns that range from a mirror finish (Silver Sheen) to prismatic Kaleidoscope.) Each pattern creates a spectrum of color that adds dynamic visual effects to your graphics. Combine with GerberColor Transparent (GCT) foils for truly spectacular results. Recommended for interior applications.

[HoloGraphics Product Bulletin](#)

Gerber **ImageCal "P"** Permanent Film

| Image Cal "P" | 15" Punched EDGE READY | |
|---------------|---------------------------|---------|
| Color | 10 Yard | 50 Yard |
| Clear | P65583A | P65584A |

A clear, calendared 4 mil vinyl film with a permanent adhesive system. Two-year exterior life.

[ImageCal P Product Bulletin](#)

Gerber **ImageCast** Film manufactured by 3M

| ImageCast | 15" Punched EDGE READY | |
|-----------|---------------------------|---------|
| Color | 10 Yard | 50 Yard |
| Clear | P65579A | P65580A |

Cast 2.5 mil vinyl film with a clear adhesive system suitable for all types of graphic displays. This material is similar to Clear Enamel Receptive without the enamel receptive coating. Five-year exterior life.

[ImageCast Product Bulletin](#)

Gerber **PermaGrip** Film

| PermaGrip | 15" Punched EDGE READY | |
|------------------|-----------------------------------|-----------------|
| Color | 10 Yard | 50 Yard |
| White | AP75517 -10y | AP75517 -50y |

Gerber PermaGrip is a durable, permanent cast vinyl film for use with Gerber EDGE Systems and GerberColor foils. It is dimensionally stable and has an extremely aggressive pigmented adhesive system that provides superior hiding power when applied over colored surfaces. Gerber PermaGrip is edge-stripped to eliminate buildup of adhesive

residue on sprocketed equipment. Gerber PermaGrip is ideally suited for a wide variety of commercial, industrial and safety applications. It can be used to create interior and exterior labels, emblems, logos and signs on many surfaces including, flat, moderately compound curved and moderately-rough surfaces and some low surface energy materials. The user should determine the suitability of all substrates prior to actual application. This film is not recommended for use on corrugated, riveted or highly irregular surfaces. It is not recommended for flexible sign face or flexible banner material. It is also not intended for applications where petrochemical contact may occur. If petrochemical exposure is anticipated, refer to the Product Bulletin for information on protecting graphics.

[PermaGrip Product Bulletin](#)

Gerber **Label Stock – 1 mil**

| 1 mil Label Stock | 15" Punched EDGE READY | |
|--------------------------|-----------------------------------|----------------|
| Color | 10 Yard | 50 Yard |
| Clear | P59875A | P59876A |
| Color | 10 Yard | 50 Yard |
| White | P59881A | P59882A |

Polyester, 1 mil material, custom-formulated for use in the Gerber EDGE for the production of countless commercial and industrial applications which require labels, decals, and identification nameplates.

[Label Stock Product Bulletin](#)

Gerber **Label Stock – 2 mil**

| 2 mil Label Stock | 15" Punched EDGE READY | |
|--------------------------|-----------------------------------|----------------|
| Color | 10 Yard | 50 Yard |
| Clear | P59878A | P59879A |
| Color | 10 Yard | 50 Yard |
| White | P59884A | P59885A |
| Color | 10 Yard | 50 Yard |
| Matte Silver | P60557A | P60558A |
| Color | 10 Yard | 50 Yard |
| Shiny Silver | P84501A | P84502A |

Polyester, 2 mil material, custom-formulated for use in the Gerber EDGE for the production of countless commercial and industrial applications which require labels, decals, and identification nameplates.

[Label Stock Product Bulletin](#)

Gerber PermaGrip Label Stock – 2 mil

| PermaGrip | 15" Punched EDGE READY | |
|-----------|---------------------------|---------|
| Color | 10 Yard | 50 Yard |
| White | P83928A | P83929A |

This 2 mil white polyester label stock has an aggressive adhesive that sticks to low surface energy (LSE) substrates such as powder coat paint. This material is UL recognized at temperatures up to 302 degrees F.

[PermaGrip Label Stock Product Bulletin](#)

Gerber Security Label Stock

| 2 mil Label Stock | 15" Punched EDGE READY | |
|-------------------|---------------------------|---------|
| Color | 10 Yard | 50 Yard |
| Chrome Silver | P63033A | P63034A |
| Color | 10 Yard | 50 Yard |
| White | P82891A | P82892A |

This 2-mil product was developed for use with the Gerber EDGE for production of identification markings with tamper-evident protection. Once printed and applied, the word VOID appears, on both the applied surface and the material, if the label is removed.

[Security Label Stock Product Bulletin](#)

Gerber Brushed Polyester Label Stock - 1 and 2 mil

| Brushed Polyester | 15" Punched EDGE READY | |
|---------------------------------|---------------------------|---------|
| Color | 10 Yard | 50 Yard |
| 1 mil Brushed Gold | P61297A | P61296A |
| 1 mil Brushed Silver | P61300A | P61299A |
| Color | 10 Yard | 50 Yard |
| 2 mil Brushed Gold | P61288A | P61289A |
| 2 mil Brushed Silver / Aluminum | P61285A | P61286A |

Polyester, 1 or 2 mil material, custom-formulated for use in the Gerber EDGE for the production of countless commercial and industrial applications which require labels, decals, and identification nameplates, including architectural graphics. Brushed Gold is not recommended for exterior applications.

[Label Stock Product Bulletin](#)

Gerber LexEdge II - 5 mil

| 5 mil LexEdge II | 15" Punched EDGE READY | |
|------------------|---------------------------|---------|
| Color | 10 Yard | 50 Yard |
| Velvet/Polished | P75654A | P75655A |

LexEdge II 5 mil is a custom-formulated, Lexan® based polycarbonate (Lexan 8A35) designed for use with Gerber Digital Color Printing Systems and GerberColor foils. LexEdge II 5-mil is dimensionally stable and resists tearing, abrasion, and heat. LexEdge II 5-mil is ideally suited for the production of dynamic sub-surface graphics including membrane switches, keyboard overlays, architectural signs, and exhibit/display work.

[LexEdge II 5-mil Product Bulletin](#)

Gerber LexEdge II - 10 mil

| 10 mil LexEdge II | 15" Punched EDGE READY | |
|-------------------|---------------------------|---------|
| Color | 10 Yard | 50 Yard |
| Matte | P63562A | P63563A |

Semi-rigid, 10 mil Lexan with a custom-formulated print surface specifically designed for use with the Gerber EDGE. Ideally suited for the production of exhibits, displays, signs, and all types of sub-surface graphics.

[LexEdge II 10-mil Product Bulletin](#)

Gerber LexEdge FR65

| LexEdge FR65 | 15" Punched EDGE READY | |
|--------------|---------------------------|---------|
| Color | 10 Yard | 50 Yard |
| Matte | P82888A | P82889A |

Semi-rigid, 10 mil flame retardant Lexan material which meets the UL94 V-0 rating, for use in the production of sub-surface graphics for industries that require fire retardant material for aircraft, electrical and electronic applications.

[LexEdge FR65 Product Bulletin](#)

Gerber LexEdge Clear

| LexEdge Clear | 15" Punched EDGE READY | |
|---------------|---------------------------|---------|
| Color | 10 Yard | 50 Yard |
| Clear | P67002A | P67003A |

LexEdge Clear is a clear, polished 10 mil Lexan material, designed for use with the Gerber EDGE. A polished version of our current LexEdge II product, LexEdge Clear provides a perfect tool for creating architectural signage, point-of-purchase displays, exhibit graphics, and membrane switch applications. In order to protect its polished surface, LexEdge Clear has a removable, protective mask on the print side of the material for optimal output.

[LexEdge Clear Product Bulletin](#)

Gerber LexEdge Outdoor

| LexEdge Outdoor | 15" Punched EDGE READY | |
|-----------------|---------------------------|---------|
| Color | 10 Yard | 50 Yard |
| Matte | P72790A | P72791A |

Outdoor durable, this semi-rigid, matte, 10-mil Lexan has a custom-formulated print surface specifically designed to resist tearing, abrasion and yellowing effects of UV exposure. Formulated for use with the Gerber EDGE for printing directly onto the final substrate in second surface applications. Ideally suited for the production of ATM/bank, equipment labels, gas station graphics, menu boards and other outdoor graphic displays. Vertical exterior performance life of 3 to 5 years.

[LexEdge Outdoor Product Bulletin](#)

Gerber PVC-10 Shelf and Tag

| PVC 10 | 15" Punched EDGE READY | |
|--------|---------------------------|---------|
| Color | 10 Yard | 50 Yard |
| White | P81132A | P81133A |

PVC-10 Shelf and Tag is a white, 10 mil, semi-rigid PVC material. It has been custom formulated for use with Gerber EDGE Systems that use EDGE READY Materials and GerberColor Foils. PVC-10 Shelf and Tag can also be decorated with cut-vinyl graphics.

The semi-rigid construction of PVC-10 Shelf and Tag makes it ideally suited for a number of non-pressure-sensitive applications including signs, menu boards, point-of-purchase displays, permits, identification tags, and door hangers.

[PVC-10 Shelf and Tag Product Bulletin](#)

Gerber Metallized Polyester Film

| Metallized Polyester | 15" Punched | |
|---------------------------|-------------|---------|
| Color | 10 Yard | 50 Yard |
| Brushed Silver / Aluminum | P61285A | P61286A |
| Color | 10 Yard | 50 Yard |
| Shiny Silver | P84501A | P84502A |

Polyester, 2 mil film with a mirror look on both sides of the material for two sided interior and limited exterior use. Suitable for printing on the Gerber EDGE.

[Metallized Polyester Product Bulletin](#)

Gerber GerberMag II

| GerberMag II | 15" Punched EDGE READY | |
|--------------|---------------------------|--|
| Color | 25 Feet | |
| White | P81506A | |

Flexible, 19 mil, magnetic material, with a smooth matte white surface, designed for optimal printing on the Gerber EDGE. Output contour cut on any OMEGA™ compatible 15" plotter. Used in the production of custom ad specialty magnets.

[GerberMag II Product Bulletin](#)

Gerber AutoMag II

| AutoMag II | 15" Punched EDGE READY | |
|------------|---------------------------|--|
| Color | 25 Feet | |
| White | P81508A | |

Vehicle-strength 24 mil magnetic material used in the production of custom, removable vehicle graphics. Flexible magnetic material, **with a new, smoother matte white surface**, designed for optimal printing on the Gerber EDGE. Output contour cut on any OMEGA compatible 15" plotter.

[AutoMag II Product Bulletin](#)

Gerber **Gerber Guard™** – Overlamine

| Gerber Guard | 15" Punched | |
|--------------|-------------|---------|
| Color | 10 Yard | 50 Yard |
| Clear | P61385A | P61386A |

Not intended for printing. Gerber Guard is designed to provide additional protection from petroleum-based or other chemicals, as well as increased abrasion resistance due to exposure to severe handling conditions. Gerber Guard's glossy characteristic creates a more lustrous finish when applied to Gerber EDGE-produced graphics. May also be used on unprinted vinyl film with the same quality results.

[Gerber Guard Product Bulletin](#)

Gerber **StrikeGuard** – Overlamine

| Gerber StrikeGuard | 13" Unpunched | |
|--------------------|---------------|---------|
| Color | 10 Yard | 50 Yard |
| Clear | P76480A | P75963A |

Gerber StrikeGuard is an extra-thick (8 mil), flexible clear overlamine designed to provide EDGE®-printed graphics with extreme protection from forceful impact. It has been developed as part of a great new system for producing helmet decals and for decorating "extreme sports" equipment, including recreational vehicles

[Gerber StrikeGuard Product Bulletin](#)

Gerber **UVGuard** – Overlamine

| Gerber UVGuard | 15" Punched | |
|----------------|-------------|---------|
| Color | 10 Yard | 50 Yard |
| Clear | P84883A | P84884A |

Not intended for printing. Gerber UVGuard is a 1.2 mil, clear, laminating film designed to further expand the resistance to weathering of graphics printed (or cut) on Gerber Series 220, 225, 280i Plus with Gerber EDGE Systems and GerberColor Foils. Gerber UVGuard will also provide resistance to the effects of mildew and graffiti. The expected performance life of the graphic will be improved to seven years.

*The performance life of GerberColor Spot Pink (GCS-643) will not be affected by Gerber UVGuard.

[Gerber UVGuard Product Bulletin](#)

Gerber **UVGuard 9** – Overlamine

| Gerber UVGuard 9 | 15" Punched | |
|------------------|-------------|---------|
| Color | 10 Yard | 50 Yard |
| Clear | P84370A | P84371A |

Not intended for printing. Gerber UVGuard 9 is a glossy 2 mil, clear, PVC laminating film with a graphic protection system top coat designed to further expand the resistance to weathering of graphics printed (or cut) on Gerber Series 220, 225, 280i Plus with Gerber EDGE Systems and GerberColor Foils. Gerber UVGuard 9 has the highest protection from UV fade. The expected performance life will be improved to nine years.

[Gerber UVGuard 9 Product Bulletin](#)

Gerber **Edge Positive** – Screen Print Film

| Edge Positive | 15" Punched EDGE READY | |
|---------------|---------------------------|---------|
| Color | 10 Yard | 50 Yard |
| Clear | P54964A | P54965A |

Crystal clear, 7 mil, top-coated polyester film, custom-formulated for Gerber EDGE use in the production of screen printing film positives. Designed for use with Spot Black Foil (GCS-12). For denser black use Jet Black (GCX12).
[Edge Positive Product Bulletin](#)

Gerber **Screen Printing and Graphic Arts** Films

Materials designed for the screen printing professional. These films have been carefully selected and developed for use on Gerber systems.

| Cut Green | 15" Punched | | 30" Punched | |
|---|-------------|---------|-------------|---------|
| Water Soluble – for use with solvent based inks | 25 Feet | 50 Yard | 25 Feet | 50 Yard |
| Ulano® Cut Green Stencil | P20950C | P20951C | | P21004C |

| Rubylith | 15" Punched | | 30" Punched | |
|---|-------------|---------|-------------|---------|
| Light safe film on polyester backing – special adhesive allows for re-positioning | 25 Feet | 50 Yard | 25 Feet | 50 Yard |
| Ulano Rubylith Universal Mask | P20946C | P20947C | P21958C | P21002C |

| StaSharp® | 15" Punched | | 30" Punched | |
|---|-------------|---------|-------------|---------|
| Solvent soluble – for use with water-based inks | 25 Feet | 50 Yard | 25 Feet | 50 Yard |
| Ulano S3S-StaSharp Stencil | P20952C | P20953C | | P21005C |

Gerber GerberMask™ ULTRA – Masking Material

GerberMask ULTRA is a 4 mil white vinyl film, coated with a **low-tack** removable adhesive now on a **new moisture-resistant liner**. Designed to be used as stencil masking film for application to a variety of smooth, flat substrates. The low-tack adhesive allows easy removal from substrates, with no adhesive transfer. Suitable for use on glass, Plexiglas, polycarbonate, flexible vinyl, stainless steel. **NOTE:** GerberMask ULTRA has a low-tack adhesive for easy removal from high energy surfaces. Rough, uneven, or curved surfaces may require a more aggressive adhesive. GerberMask ULTRA II stencil mask with high-tack adhesive is available if greater substrate adhesion is required.

[GerberMask ULTRA Product Bulletin](#)

| 15" Punched | | 30" Punched | | GerberMask ULTRA | 20" Unpunched | | 45" Unpunched | |
|-------------|---------|-------------|---------|--|---------------|---------|---------------|---------|
| 10 Yard | 50 Yard | 10 Yard | 50 Yard | Color | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| | P81773A | | P81780A | GerberMask ULTRA (Green logo liner) | | P81776A | | P81336A |

Gerber GerberMask Yellow ULTRA – Masking Material

GerberMask Yellow ULTRA is a 4 mil yellow vinyl film, coated with a **low-tack** removable adhesive on a paper liner developed as a high contrast stencil for painted graphics for application to a variety of smooth, flat surfaces. The yellow face film makes weeding and application easier especially when the stencil is applied to a white surface.

[GerberMask Yellow ULTRA Product Bulletin](#)

| 15" Punched | | 30" Punched | | GerberMask ULTRA Yellow | 24" Unpunched | | 48" Unpunched | |
|-------------|---------|-------------|---------|-------------------------|---------------|---------|---------------|---------|
| 10 Yard | 50 Yard | 10 Yard | 50 Yard | Color | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| | P83157A | | P83158A | GerberMask ULTRA Yellow | | | | P83159A |

Gerber GerberMask ULTRA II – Masking Material

GerberMask ULTRA II is a durable, conformable 4 mil white vinyl film, coated with **aggressive** acrylic removable adhesive now on a **new moisture-resistant liner**. Designed to hold during light sandblasting, acid etching, or paint applications. Removable, with no adhesive transfer. Suitable for use on glass, Plexiglas, stainless steel, unfinished and finished wood surfaces. **DO NOT APPLY GerberMask ULTRA II TO FLEXIBLE VINYL FILM.**

NOTE: GerberMask ULTRA II has a high-tack adhesive that will adhere strongly to smooth, high-energy substrates, such as Plexiglas or polycarbonate. Requires some effort to remove. GerberMask ULTRA, with low-tack adhesive, may be more suitable for this type of application. GerberMask ULTRA can be used on flexible vinyl substrates.

[GerberMask ULTRA II Product Bulletin](#)

| 15" Punched | | 30" Punched | | GerberMask ULTRA II | 20" Unpunched | | 45" Unpunched | |
|-------------|---------|-------------|---------|---|---------------|---------|---------------|---------|
| 10 Yard | 50 Yard | 10 Yard | 50 Yard | Color | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| | P82758A | | P82761A | GerberMask ULTRA II (Black logo liner) | | P82759A | | P82762A |

Gerber Drawing and Pouncing Paper

| Drawing Paper | 15" Punched | | 30" Punched | |
|-----------------|-------------|----------|-------------|----------|
| Color | 10 Yard | 500 Feet | 10 Yard | 300 Feet |
| Plain White 20# | | P20944C | | P21965C |

Paper for producing scaled or full-size line drawings and pounce patterns.

Gerber Sandblast Material

| Sandblast Stencil | 15" Punched | | 30" Punched | |
|---------------------------|-------------|---------|-------------|---------|
| | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| Series 1532 Single Liner | P78072A | | P78076A | |
| Color | 10 Yard | 50 Yard | 10 Yard | 50 Yard |
| Series 519YP Double Liner | P82169A | | | |

Rubber masking stencil for sandblasting glass, stone, treated and untreated wood. Gerber Sandblast Series 1532™ one-liner sandblast stencil has a low-friction coating. Gerber Sandblast Series 519YP features a double liner with a yellow translucent polyester inner liner that gives cut stencils improved visibility.

[519YP Sandblast Product Bulletin](#)

Gerber Standard Application Tape

NOTE: GSP recommends and warrants the use of Standard Tack Application Tape in applying graphics produced by the Gerber EDGE.

| Width | Length | Part Number |
|----------|-----------|-------------|
| 3¼" wide | 100 yards | P79369A |
| 6½" wide | 100 yards | P79370A |
| 12" wide | 100 yards | P79371A |
| 14" wide | 100 yards | P79372A |
| 30" wide | 100 yards | P79374A |

3M™ Adhesive Transfer Tape 467MP & 468MP

These adhesives complement our LexEdge and Static Cling applications. The laminating adhesives provide the finish step in the production of decals.

[Laminating Adhesive Product Bulletin](#)

| | Width | Length | Part Number |
|------------------------------|----------|----------|-------------|
| Adhesive Transfer Tape 467MP | 12" wide | 60 yards | P83178A |
| Adhesive Transfer Tape 468MP | 12" wide | 60 yards | P83177A |

Gerber **Accessories**

GERBER EDGE

| Description | Part Number |
|--|-------------|
| Cleaning Card, Thermal Printhead, 25 per box | P66530B |
| Registration Eyepiece - Envision/ODYSSEY™ | P67283B |
| Registration Eyepiece - HS/GS and older | P50136B |

Gerber enVision 375 and 750

| Description | Part Number |
|---|-------------|
| EnVision 375 & 750 - 30° Knife Blades, Set of 2 | P63681B |
| EnVision 375 & 750 - 45° Knife Blades, Set of 2 | P63679B |
| EnVision 375 & 750 - 60° Knife Blades, Set of 2 | P63680B |
| EnVision 375 & 750 - Pen, Felt Tip Black - Set of 5 | P59259A |
| EnVision 375 & 750 - Swivel Knife Assembly with 45° Blade | P65916B |
| EnVision 375 Cutting Strip, 15" | P66119B |
| EnVision 375 Registration Eyepiece | P67283B |

GS, HS, GS^{plus} and HS^{plus} Plotter

| Description | Part Number |
|---|-------------|
| <i>Tangential Blade Holder and Blades for GS and HS Plotters</i> | |
| Knife Holder with 30° Blade | P56734A |
| Knife Holder with 60° Blade | P56737A |
| Knife Blade, 30° Carbide | P17156B |
| Knife Blade, 30° Super Sharp | P30033B |
| Knife Blade, 45° Carbide, for Sandblast Stencil | P33489B |
| Knife Blade, 60° Carbide, for Sandblast Stencil | P37311B |
| <i>Swivel Blades Holder and Blades for HS and GS Plotters – also called drag knives</i> | |
| Knife Assembly, HS Swivel | P56530B |
| Knife Blade, HS Swivel | P56928B |
| Knife Assembly with Shoe & 2 blades, GS Drag | P56518B |
| Knife Blade, GS Drag | P44985B |
| Material Roll Holder, Low Friction (<i>Ships from Plant 0110</i>) | P26381D |
| Penholder with Black Pen | P66925A |
| Pen - Ball Point, Black | P32433A |
| Pen - Ball Point, Blue | P32432A |
| Pen - Ball Point, Red | P32431A |
| Registration Eyepiece for use with EDGE Prints | P50136B |
| Squeegee | P23541C |
| Theta Knife Lift Washer | P27081B |
| Tweezers | P25933A |
| Cable, PC to Plotter - 30 feet | P61415C |
| Cable, PC to Plotter - 50 feet | P61414C |

Gerber **Accessories** – continued**GSx™ and GSx plus™**

| Description | Part Number |
|--|-------------|
| Accessory Kit (<i>Ships from Plant 0110</i>) | P55771C |
| Knife Assembly with Shoe & 2blades | P56518B |
| Knife Blade, GS Drag | P44985B |
| Material Roll Holder, Low Friction | P26381D |
| Pen - Ball Point, Black | P32433A |
| Pen - Ball Point, Blue | P32432A |
| Pen - Ball Point, Red | P32431A |
| Penholder with Black Pen | P66925A |
| Squeegee | P23541C |
| Tweezers | P25933A |

Monument– GS15 plus™ M and GS750 plus™ M

| Description | Part Number |
|---|-------------|
| Cable, PC to Plotter - 30 feet | P61415C |
| Cable, PC to Plotter - 50 feet | P61414C |
| Knife Assembly with Shoe & 2 blades, GS Drag & Select 15™ | P56518B |
| Knife Assembly, HS Swivel | P56530B |
| Knife Blade, 30° Carbide | P17156B |
| Knife Blade, 30° Super Sharp | P30033B |
| Knife Blade, 45° Carbide, for Sandblast Stencil | P33489B |
| Knife Blade, 60° Carbide, for Sandblast Stencil | P37311B |
| Knife Blade, GS Drag | P44985B |
| Knife Blade, HS Swivel | P56928B |
| Knife Holder with 30° Blade | P56734A |
| Knife Holder, Adjustable with 60° Blade | P56737A |
| Material Roll Holder, Low Friction (<i>Ships from Plant 0110</i>) | P26381D |
| Pen - Ball Point, Black | P32433A |
| Pen - Ball Point, Blue | P32432A |
| Pen - Ball Point, Red | P32431A |
| Penholder with Black Pen | P66925A |
| Squeegee | P23541C |
| Theta Knife Lift Washer | P27081B |
| Tweezers | P25933A |

Gerber Legacy Plotter Accessories

Tempo 600

| Description | Part Number |
|--|-------------|
| Blade holder, 0.9mm, blue top, black ABS tip | P82585A |
| Cable for Tempo 600, 15ft USB (A to B) | P81931A |
| Fiber Tip Pen, Black, .3mm | P82582A |

P2C

| Description | Part Number |
|---|-------------|
| Blade - Single 60° P2C (requires 60° holder P78402A) | P78400A |
| Blades - 5-Pack 60° P2C (requires 60° holder P78402A) | P78398A |
| Blades 5-Pack 36° P2C | P78397A |
| Cutting strip P2C 600 | P78399A |
| Sheet off knife P2C 600/1200 sheet-off knife with razor blade | P78405A |

FasTrack™ and EmbossTrack™

| Description | Part Number |
|--|-------------|
| EmbossTrack Pen, Felt Tip Black - Set of 5 | P59259A |
| FasTrack 30° FasTrack Knife Blades, Set of 2 | P61638A |
| FasTrack 45° FasTrack Knife Blades, Set of 2 | P61639A |
| FasTrack Knife Holder NO Depth Indicator | P61637A |
| FasTrack Pen, Felt Tip Black - Set of 5 | P59259A |

Gerber **Legacy Plotter Accessories** – continued**Signmaker®/Graphix® Stacking Weight**

| Description | Part Number |
|---|-------------|
| Knife Blade, 30° Carbide | P17156B |
| Knife Blade, 30° Super Sharp | P30033B |
| Knife Blade, 45° Carbide, for Sandblast Stencil | P33489B |
| Knife Blade, 60° Carbide, for Sandblast Stencil | P37311B |
| Material Roll Holder, Low Friction | P26381D |
| Pen Ball Point Medium, Black | P25927A |
| Penholder with Black Pen | P66925A |
| Registration Eyepiece - HS/GS and older | P50136B |
| Squeegee | P23541C |
| Theta Knife Lift Washer | P27081B |
| Tweezers | P25933A |

S/750™, Signmaker®/750, Graphix®/750, GSP SPRINT™

| Description | Part Number |
|------------------------------|-------------|
| Penholder with Black Pen | P66925A |
| Pen Ball Point Medium, Black | P25927A |
| Theta Knife Lift Washer | P27081B |

GSP SPRINT IIB™, SuperSprint™, SuperSprint Model B

| Description | Part Number |
|--|-------------|
| Cable, PC to Plotter - 30 feet | P61415C |
| Cable, PC to Plotter - 50 feet | P61414C |
| Knife Assembly, HS Swivel | P56530B |
| Knife Blade, 30° Carbide | P17156B |
| Knife Blade, 30° Super Sharp | P30033B |
| Knife Blade, 45° Carbide, for Sandblast Stencil | P33489B |
| Knife Blade, 60° Carbide, for Sandblast Stencil | P37311B |
| Knife Holder with 30° Blade | P56734A |
| Knife Holder with Shoe & 2 blades, GS Drag & Select 15 | P56518B |
| Material Roll Holder, Low Friction | P26381D |
| Pen - Ball Point, Black | P32433A |
| Pen - Ball Point, Blue | P32432A |
| Pen - Ball Point, Red | P32431A |
| Penholder with Black Pen | P66925A |
| Registration Eyepiece - HS/GS and older | P50136B |
| Squeegee | P23541C |
| Tweezers | P25933A |

Gerber Legacy Plotter Accessories – continued

Graphix 2

| Description | Part Number |
|------------------------------|-------------|
| Knife Blade, 30° Carbide | P17156B |
| Knife Blade, 30° Super Sharp | P30033B |
| Pen Ball Point Medium, Black | P25927A |
| Squeegee | P23541C |
| Tweezers | P25933A |

ODYSSEY and ODYSSEY XP

| Description | Part Number |
|--------------------------------------|-------------|
| 30° Knife Blades, Set of 2 | P63681B |
| 45° Knife Blades, Set of 2 | P63679B |
| 60° Knife Blades, Set of 2 | P63680B |
| Pounce Mat | P72613A |
| Pounce Mat & Tool Kit | P76180A |
| Pounce Tool | P76127B |
| Registration Eyepiece | P67283B |
| Swivel Knife Assembly with 45° Blade | P65916B |

Select 15

| Description | Part Number |
|---|-------------|
| Accessory Kit | P55771C |
| Knife Assembly with Shoe & 2 blades, GS Drag & Select 15 | P56518B |
| Knife Blade, GS Drag | P44985B |
| Material Roll Holder, Low Friction (<i>Ships from Plant 0110</i>) | P26381D |
| Pen - Ball Point, Black | P32433A |
| Pen - Ball Point, Blue | P32432A |
| Pen - Ball Point, Red | P32431A |
| Penholder with Black Pen | P66925A |
| Squeegee | P23541C |
| Tweezers | P25933A |

Signer

| Description | Part Number |
|--|-------------|
| Knife Blade, 30-Degree | P47281B |
| Knife Blade, 45-Degree | P47282B |
| Pen Tool Assembly with pen (throwaway) | P37840C |

Gerber Routing Bits

Gerber Platinum Specialty Bits

Gerber Platinum Specialty bits take the guesswork out of choosing the correct bit for a specific substrate. Gerber Platinum bit descriptions include an application code which identifies materials and applications for which the bit is most suited. The application code is etched into the shank of the bit, along with the part number, for easy identification once the bit has been removed from its sleeve.

| Application Reference Chart for Gerber Platinum bits | | |
|--|-----------------------|--|
| AW | Aluminum & Wood | 1-Flute Upcut O Flute for Alucobond®, Diond®, Dilite®, Hardwood, Softwood, Non-Ferrous Metals (Aluminum, Brass, Copper) |
| GP | General Purpose | 1-Flute Upcut Super O Flute for Hard and Soft Plastic, Hard and Soft Woods, Wood and Plastic Composites. |
| HPF | Hard Plastic & Foam | 1-Flute Upcut O Flute for Solid Surface (Avonite™, Corian®), Cast Acrylic |
| SPF | Soft Plastic & Foam | 1-Flute Upcut O Flute for PVC Foam (Celtec®, Trovicel®, Sintra®, Kometex®), HDU (Signfoam®, Precision Board™), Extruded Acrylic, Styrene, Polycarbonate (Lexan), HDPE (Polycarve™) |
| LV | Laminates and Veneers | Produces clean top and bottom edges on single and double-sided laminated substrates. For Hardwood, Softwood, Wood Composites (MDO, MDF, Plywood, Particle board) See footnotes for more information. |
| APS | All Purpose Straight | 1-Flute Straight for Substrates with thin laminates, foam boards (clay coated paper and styrene surfaces; Fome-Cor®, Gatorfoam®, Gatorplast®) |
| F | Foams (Special Long) | 2-Flute Upcut Specially designed for thick foams and soft plastics from 1-1/4" to 2-1/4". HDU (Precision Board™, Signfoam®) |
| APC | All Purpose Cleanout | 2-Flute Upcut Bottom Surfacing Produces a clean bottom finish with a .002" radius inside bottom edge. HDPE (Polycarve™), Aluminum, Woods, Solid Surface |
| FT | Folding Tool | 2-Flute Straight V Flute V Bottom Carbide tipped specialty bit designed for folding Alucobond®, Diond®, Dilite® up to 90-degrees. |
| 3DM | 3D Modeling | 2-Flute Upcut Ballnose for three-dimensional modeling. Advanced grind technology produces a superior cut in plastics, woods composites and aluminum. |

| Application Code | Shank Diameter | Cutting Diameter | Cutting Edge Length | Overall Length | Part Number |
|---------------------|----------------|------------------|---------------------|----------------|-------------|
| Gerber Platinum AW | 1/8" | 1/16" | 1/4" | 1-1/2" | P79820A |
| Gerber Platinum AW | 1/8" | 1/8" | 1/4" | 1-1/2" | P79821A |
| Gerber Platinum AW | 1/4" | 3/16" | 3/8" | 2" | P79822A |
| Gerber Platinum AW | 1/4" | 1/4" | 3/8" | 2" | P79823A |
| Gerber Platinum AW | 1/4" | 1/4" | 3/4" | 2-1/2" | P79824A |
| Gerber Platinum AW | 3/8" | 3/8" | 3/4" | 3" | P80307A |
| Gerber Platinum GP | 1/4" | 1/8" | 1/2" | 2" | P79825A |
| Gerber Platinum GP | 1/4" | 3/16" | 5/8" | 2" | P79826A |
| Gerber Platinum GP | 1/4" | 3/16" | 1-1/4" | 3" | P79827A |
| Gerber Platinum GP | 1/4" | 1/4" | 5/8" | 2" | P79828A |
| Gerber Platinum GP | 1/4" | 1/4" | 7/8" | 2-1/2" | P79829A |
| Gerber Platinum GP | 1/4" | 1/4" | 1-1/2" | 3" | P79830A |
| Gerber Platinum GP | 1/4" | 1/8" | 1-1/8" | 2-1/2" | P80300A |
| Gerber Platinum GP | 1/8" | 1/16" | 1/4" | 2" | P80356A |
| Gerber Platinum GP | 3/8" | 3/8" | 1-1/8" | 3" | P80301A |
| Gerber Platinum HPF | 1/4" | 1/16" | 1/4" | 2" | P80340A |
| Gerber Platinum HPF | 1/4" | 1/8" | 1/2" | 2" | P80341A |
| Gerber Platinum HPF | 1/4" | 3/16" | 5/8" | 2" | P80342A |
| Gerber Platinum HPF | 1/4" | 1/4" | 3/4" | 2-1/2" | P80343A |
| Gerber Platinum HPF | 1/4" | 1/8" | 1/4" | 2" | P80344A |
| Gerber Platinum HPF | 1/4" | 3/16" | 3/8" | 2" | P80345A |
| Gerber Platinum HPF | 1/4" | 1/4" | 1/2" | 2" | P80346A |
| Gerber Platinum HPF | 1/4" | 1/8" | 1-1/8" | 2-1/2" | P80348A |
| Gerber Platinum HPF | 1/4" | 3/16" | 1-1/8" | 2-1/2" | P80347A |
| Gerber Platinum HPF | 1/4" | 1/4" | 1-1/2" | 3" | P80370A |

Gerber Routing Bits – continued

| Application Code | Shank Diameter | Cutting Diameter | Cutting Edge Length | Overall Length | Part Number |
|---------------------------------|----------------|------------------|---------------------|----------------|-------------|
| Gerber Platinum SPF | 1/4" | 1/8" | 1/4" | 2" | P80363A |
| Gerber Platinum SPF | 1/4" | 1/4" | 3/4" | 2-1/2" | P80364A |
| Gerber Platinum SPF | 1/4" | 3/16" | 3/8" | 2" | P80362A |
| Gerber Platinum SPF | 1/4" | 3/16" | 5/8" | 2" | P80365A |
| Gerber Platinum SPF | 1/4" | 1/8" | 1/2" | 2" | P80366A |
| Gerber Platinum SPF | 1/4" | 1/16" | 1/4" | 2" | P80367A |
| Gerber Platinum SPF | 1/4" | 1/4" | 1-1/2" | 3" | P80368A |
| Gerber Platinum LV ¹ | 1/4" | 1/8" | 3/8" | 2-1/2" | P80302A |
| Gerber Platinum LV ¹ | 1/4" | 3/16" | 5/8" | 2-1/2" | P80303A |
| Gerber Platinum LV ² | 1/4" | 1/4" | 7/8" | 2-1/2" | P80304A |
| Gerber Platinum LV ² | 3/8" | 3/8" | 7/8" | 3" | P80305A |
| Gerber Platinum LV ² | 3/8" | 3/8" | 1-1/8" | 3" | P80306A |
| Gerber Platinum LV ³ | 1/4" | 1/4" | 1/2" | 2" | P72975B |
| Gerber Platinum LV ³ | 1/8" | 1/8" | 1/2" | 2-1/2" | P72976B |
| Gerber Platinum LV ³ | 1/4" | 1/4" | 3/4" | 2-1/2" | P72977B |
| Gerber Platinum LV ⁴ | 1/8" | 1/8" | 3/4" | 2" | P73832B |
| Gerber Platinum LV ⁵ | 3/16" | 3/16" | 3/4" | 2-1/2" | P74596B |
| Gerber Platinum APS | 1/4" | 1/8" | 1/2" | 2" | P80336A |
| Gerber Platinum APS | 1/4" | 3/16" | 5/8" | 2" | P80337A |
| Gerber Platinum APS | 1/4" | 1/4" | 3/4" | 2-1/2" | P80338A |
| Gerber Platinum APS | 1/4" | 1/4" | 1-1/4" | 4" | P80339A |
| Gerber Platinum F | 1/4" | 1/4" | 1-1/4" | 3" | P80349A |
| Gerber Platinum F | 1/4" | 1/4" | 2-1/4" | 4" | P80350A |
| Gerber Platinum F | 3/8" | 3/8" | 1-1/2" | 4" | P80351A |
| Gerber Platinum F ⁶ | 1/4" | 1/4" | 2-1/4" | 3-1/2" | P80160B |
| Gerber Platinum APC | 1/8" | 1/8" | 1/4" | 2" | P80358A |
| Gerber Platinum APC | 1/4" | 1/4" | 3/8" | 2" | P80359A |
| Gerber Platinum APC | 3/8" | 3/8" | 5/8" | 2-1/2" | P80360A |
| Gerber Platinum FT | 1/4" | 1/2" | 3/8" | 2" | P80361A |
| Gerber Platinum 3DM | 1/8" | 1/8" | 1/2" | 2" | P80352A |
| Gerber Platinum 3DM | 1/4" | 3/16" | 3/4" | 2" | P80353A |
| Gerber Platinum 3DM | 3/8" | 3/8" | 1-1/8" | 3" | P80355A |

1. 1-Flute Compression
2. 2-Flute Compression
3. 2-Flute Straight (There is no Application Code on the shaft of this bit.)
4. 1-Flute Radial (There is no Application Code on the shaft of this bit.)
5. Spiral (There is no Application Code on the shaft of this bit.)
6. Diamond Cut

Gerber **Routing Bits** – continued

Gerber Gold™ Routing Bits

Gerber Gold routing bits are designed for greater performance and longer tool life. These remarkable routing bits are made from the highest quality micrograin carbide to the tightest tolerances in the industry. They are then coated with titanium nitride to enhance their durability even further. The result is superior edge quality and lower tooling cost. These high performance bits can be used with all Gerber routers/engravers, as well as with other automated and manual routers.

Two-Flute Spiral Bits

These are the most versatile type of bits and are used for general routing of the following materials:

- Harder Materials: Such as plate aluminum, brass, bronze, copper; cast acrylics, solid surface materials, particle board, plywood, and hardwoods.
- Softer Materials: Such as foam boards, engraving stock, PVC (Sintra®, Komatex, Trovicel®, Celtec, etc.) soft plastics, soft woods, and similar density materials.

These bits provide excellent chip removal from the cut because of the upward spiral action. They also assure excellent edge quality on these materials.

| Shank Diameter | Cutting Diameter | Cutting Edge Length | Overall Length | Part Number |
|----------------|------------------|---------------------|----------------|-------------|
| 1/8" | 1/16" | 3/16" | 1-1/2" | P50521B |
| 1/8" | 1/8" | 1/4" | 1-1/2" | P50525B |
| 1/8" | 1/8" | 1/2" | 1-1/2" | P50522B |
| 1/4" | 3/16" | 3/8" | 2" | P50526B |
| 1/4" | 3/16" | 5/8" | 2" | P50523B |
| 1/4" | 3/16" | 1-1/8" | 3" | P50528B |
| 1/4" | 1/4" | 1/2" | 2" | P50527B |
| 1/4" | 1/4" | 3/4" | 2-1/2" | P50524B |
| 1/4" | 1/4" | 1-1/2" | 3" | P50529B |
| 1/4" | 1/4" | 2-1/4" | 3-3/4" | P50530B |
| 1/8" | 1/8" | 1-1/4" | 3" | P52819B |

Single-Flute Radial Bits

These bits are ideal for cutting sheet aluminum and brass with a thickness of .060" (1.5mm) and less, as well as soft woods and soft alloy aluminum. Unlike the spiral flute bits, these bits have a single straight cutting edge which doesn't pull up on the work piece. This straight flute allows the bit to "shear" the chip off at the top edge of the material being cut without leaving a burr. The chip extraction, however, will not be as good as with a spiral bit.

| Shank Diameter | Cutting Diameter | Cutting Edge Length | Overall Length | Part Number |
|----------------|------------------|---------------------|----------------|-------------|
| 1/4" | 3/16" | 5/8" | 2" | P50533B |
| 1/4" | 1/4" | 3/4" | 2-1/2" | P50534B |
| 1/4" | 1/4" | 1-1/2" | 3-1/2" | P50535B |

Three-Flute Spiral Tapered Bits

For use on all materials listed for two-flute spiral bits. Tapered bits produce an angle on the edge of the material being cut. As a result, these bits are excellent for cutting vacuum form molds. These bits can also be used to create a "halo" effect without incurring additional cost when other than a straight edge is desired for special applications,

| Shank Diameter | Cutting Diameter | Cutting Edge Length | Overall Length | Angle | Part Number |
|----------------|------------------|---------------------|----------------|-------|-------------|
| 1/4" | 1/8" | 1" | 2-1/4" | 7° | P50643B |
| 1/4" | 1/8" | 1/2" | 1-7/8" | 3° | P50531B |

Gerber **Routing Bits** – continued

Auto-Carve™ 3D Carving Bits

Gerber V-cutting carbide bits deliver superb cut quality, maximum cutting efficiency, and the longest possible tool life. These specifically designed tools are produced within extremely tight manufacturing tolerances, ensuring the level of accuracy essential to the automated carving process.

Design considerations that impact tool selection:

For Small, Intricate Graphics with Thin Stroke Widths: Choose a tool with a steep angle, such as the 90° tool.

For Large Graphics with Wide Stroke Widths: Choose a tool with a shallower angle, such as the 150° tool.

| Shank Diameter | Tool Diameter | Tool Degree | Part Number |
|----------------|---------------|-------------|-------------|
| 1/4" | 1 1/4" | 90° | P56371A |
| 1/4" | 1 1/4" | 100° | P56372A |
| 1/4" | 1 1/4" | 110° | P56373A |
| 1/4" | 1 1/4" | 120° | P56374A |
| 1/4" | 1 1/4" | 130° | P56375A |
| 1/4" | 1 1/4" | 140° | P56376A |
| 1/4" | 1 1/4" | 150° | P56377A |

Gerber Engraving Bits

Gerber also offers high quality, long and short type industry standard engraving bits. Designed to give excellent results with Gerber equipment, they also work with other routers/engravers. Gerber engraving bits are ideal for applications using Dimension Plus®, ROWMARK®, acrylic, polycarbonate, and other plastic materials.

Engraving Bits (Long Type)

These bits are for top-loading engraving spindles. Use with Gerber Engraver Options.

| Shank Diameter | Cutting Diameter | Part Number |
|----------------|------------------|-------------|
| 1/4" | .010" | P47767A |
| 1/4" | .060" | P47775A |

Engraving Bits (Short Type)

These bits are for bottom-loading collet systems. Use with Router Motor or High Frequency Spindle Option.

| Shank Diameter | Cutting Diameter | Part Number |
|----------------|------------------|-------------|
| 1/4" | .010" | P50536A |
| 1/4" | .020" | P50537A |
| 1/4" | .030" | P50538A |
| 1/4" | .060" | P50539A |
| 1/4" | .090" | P50540A |

Gerber **Routing Bits** – continued

Other Gerber Specialty Bits

Braille / Tactile Bits

These bits are used to create ADA (Americans with Disabilities Act) compliant signs. All have shank diameters of 1/4" (6.0mm).

- The Long Type for use with Dimension 200®, ADVANTAGE Router™ 600 and Sabre™ Engraver Options.
- The Short Type has the same tip geometry as the Long Type, but is cut shorter for use in a Router Motor or High Frequency Spindle Option.

| Description | Use | Part Number Long Type | Part Number Short Type |
|-----------------------|---|-----------------------|------------------------|
| Braille Cutter | For cutting Braille dots | P47763A | P47849A |
| .015" Profile Cutter | For cutting ADA sign borders and surface-mounted text | P50624A | P50622A |
| .060" Parallel Cutter | For cutting both letter clean-out pockets in the sign face and matching male characters for Auto-Inlay™ method) | P50623A | P50625A |

Table Surfacing Bits

For use with a Router Motor or High Frequency Spindle to mill the sacrificial table surface perfectly flat in respect to the Z axis and aid in precise depth control when cutting.

| Description | Part Number |
|--|-------------|
| 1/4" shank diameter for AR600 or Sabre | P52617A |
| 1/2" shank diameter for AR600 or Sabre | P56327A |
| 1/4" shank diameter for Dimension 200 | P50569A |

Gerber Router Accessories

D200(X) Spindle Option Accessories

| Description | Part Number |
|---|-------------|
| Collet 1/4"-1.3hp Perske | P50214A |
| Tool Wrench Spndl-1.3hp Perske | P50219A |
| Tool Wrench Spnrr-1.3hp Perske | P50220A |
| Collet 1/4" with Nut - Porter Cable Motor | P48679A |
| Collet Sleeve, .125 inch | P75886B |
| De-Burring Tool | P50551A |

D200 Accessories

| Description | Part Number |
|---|-------------|
| Ball Point Pen - Red Fine | P32431A |
| Ball Point Pen Black Fine | P32433A |
| Ball Point Pen-Blue Fine | P32432A |
| Collet 1/2" W/Nut- Porter Cable Motor | P48680A |
| Collet 1/4" W/Nut- Porter Cable Motor | P48679A |
| Collet Sleeve, .125 inch | P75886B |
| De-Burring Tool | P50551A |
| Pen Assembly | P75044B |
| Swivel Knife Assembly, .500 inch Dia. Shank | P42255A |
| Swivel Knife Blade Replacement | P42254A |
| Tool Height Gage, Sabre - Scratch Plate | P62836B |
| Tool Wrench 5mm Allen T-Handle | P50550A |

Sabre Standard Accessories

| Description | Part Number |
|---|-------------|
| Collet Sleeve, .125 inch | P75886B |
| Collet, .250 inch (Porter Cable Motor) | P48679A |
| Collet, .500 inch (Porter Cable Motor) | P48680A |
| De-Burring Tool | P50551A |
| Trim Mist – Mist coolant fluid for the Sabre – one gallon | P50552A |
| Pen - Ball Point, Black | P32433A |
| Pen - Ball Point, Blue | P32432A |
| Pen - Ball Point, Red | P32431A |
| Pen Assembly | P75044B |
| Swivel Knife Assembly, .500 inch Dia. Shank | P42255A |
| Swivel Knife Blade Replacement | P42254A |
| Tool Height Gage, Sabre - Scratch Plate | P62836B |
| Work Clamp Knob, Sabre | P62041B |
| Work Clamp T-Nut, Sabre | P62510B |
| Work Clamp, Sabre | P62039B |

Gerber Router Accessories – continued

Engraver, Porter-Cable and Perske Motor and Accessories

| | Description | Part Number |
|--|----------------------------------|-------------|
| Engraver Option | Brush, Cleaning - Engraver | P26492A |
| | Active Pressure Foot Cap | P47566B |
| | Active Pressure Foot | P47567B |
| | Spline Driver, .069 inch | P26452A |
| | Spline Wrench Handle | P26451A |
| Perske 7 HP High Frequency Spindle and Porter Cable Motor | Collet, .250 inch (Perske Motor) | P52549A |
| | Collet, .500 inch (Perske Motor) | P52550A |
| | Nut, M27 | P52548A |
| | Wrench Spanner, 24 mm | P52547A |
| | Wrench, 24 mm | P52546A |
| | COLLET ¼" w/NUT-PRTR CBL | P48679A |
| | COLLET ½" w/NUT-PRTR CBL | P48680A |
| .125 DIA BRASS insert | P75886B | |

Sabre ATC Accessories

| Description | Part Number |
|-------------------------------|-------------|
| Collet .125" (3mm) ATC only! | P78168A |
| Collet .250" (6mm) ATC only! | P78167A |
| Collet .500" (12mm) ATC only! | P78169A |

Gerber Router Materials

| Description | Part Number |
|--|-------------|
| Double-sided router tape 1" x 60 yards | P71165A |
| Double-sided router tape 2" x 60 yards | P71166A |
| Double-sided router tape 6" x 36 yards | P59655A |

7-1/2” Materials

Material for Gerber Signer, LetterSmith and LC-7 plotters
See page 30 for Accessories for Small Format Plotters

Gerber 220 High Performance Film manufactured by 3M

| 220 High Performance | | 7.5” Punched | |
|----------------------|--------|--------------|---------|
| Color, Color Code | | 25 Yard | |
| Black | 220-12 | | P34843A |
| Matte Black | 220-22 | | P34841A |
| Matte White | 220-20 | | P83227A |
| White | 220-10 | | P83245A |
| Color, Color Code | | 25 Yard | |
| Cardinal Red | 220-53 | | P44284A |
| Intense Blue | 220-47 | | P44282A |

High performance 2 mil cast vinyl specifically developed for optimal GERBER EDGE-printing cutting, weeding, and application. Clear pressure-sensitive adhesive allows production of attractive two-way markings. Excellent durability with five to eight-year exterior life.

[Gerber 220 Product Bulletin](#)

Gerber 280 Reflective Sheeting manufactured by 3M

| 280 Reflective | | 7.5” Punched | |
|-------------------|--------|--------------|--|
| Color, Color Code | | 10 Yard | |
| Black | 280-85 | P37352A | |
| White | 280-10 | P37353A | |

Series 280 7.5 mil reflective sheeting is designed for markings requiring high visibility, both day and night. The material has good flexibility and provides excellent conformance to flat or moderately curved substrates. Seven-year exterior life on all colors; five-year exterior life on black.

[Gerber 280 Product Bulletin](#)

enVision is a trademark of 3M Company that is licensed to Gerber.